SOS alerts or phone calls for urgent worker assistance

When a lone worker needs urgent help, the method of raising that alarm can make a real difference. Two common approaches are automated SOS alerts from a dedicated device and simple phone calls made by the worker themselves. Each has its place, and understanding the trade-offs helps you choose what fits your team and your work environment.

Phone calls feel natural and familiar. A worker who feels unwell, spots a hazard, or has an accident can pull out a mobile phone and dial. The call connects them to a colleague, a supervisor, or an emergency service. The worker can explain the situation in their own words, ask for specific help, and stay on the line until help arrives. For many roles, this works well, especially when the worker is conscious, able to speak, and has phone reception.

Yet phone calls rely on the worker being able to act. If someone falls from height, suffers a blow to the head, or becomes trapped, they may not be able to reach their phone, unlock it, and dial. Even a minor slip on wet ground can knock a phone out of reach or damage it. In noisy environments, the worker might not hear the call connect. In remote areas with patchy coverage, the call may drop or fail to connect at all. This is where an SOS worker device offers a different kind of safety net.

How automated SOS alerts work

An SOS worker device is worn on the body, often as a pendant, clip-on unit, or wristband. It contains sensors that detect falls, sudden impacts, or prolonged inactivity. When the device registers an event, it sends an automatic alert to a monitoring centre or a designated contact. The alert includes the worker's location, usually via GPS, so responders know exactly where to go. Many devices also allow the worker to press a button to manually trigger an SOS if they need help but can still act.



Some devices include two-way voice communication. After an alert is sent, a responder can speak to the worker through the device, asking if they are okay or gathering details about the situation. This voice channel works even if the worker cannot use their hands, as long as they can hear and speak. The combination of automatic detection and voice contact creates a robust safety system for workers who operate alone.

The Mercari Lone Worker Alarm NZ SOS worker device is one example of this type of wearable alarm. It provides automatic fall detection, man-down alerts, and GPS location tracking, all without requiring a monitoring subscription. The worker can press for help, and the device sends their position and status to pre-set contacts. This removes the need for the worker to manage a phone call while injured or disoriented.

When phone calls still make sense

Phone calls remain a practical choice in low-risk environments where the worker is always within mobile coverage and is likely to remain conscious after an incident. For example, a worker in a city office, a retail store, or a warehouse with good phone signal and nearby colleagues can rely on a call if they feel unwell or notice a hazard. The call gives them a chance to describe what happened and coordinate the response directly.

Phone calls also work well for workers who are not at height, not handling heavy machinery, and not exposed to risks that cause sudden incapacitation. If the main concern is a gradual health issue like an allergic reaction or chest pain, the worker can often dial before they become unable to act. In these cases, a simple phone check-in system may be enough.

The downsides appear when the worker cannot reach the phone, when the phone battery dies, or when the call fails. A worker in a basement carpark or a rural valley may have no signal. A worker who trips and hits their head may be unconscious before they can dial. For these scenarios, a phone-only approach leaves gaps that an SOS worker device can fill.

Comparing the two approaches side by side

- **Trigger method:** Phone calls require the worker to initiate the call. SOS devices can be triggered automatically by a fall or inactivity, plus manually by the worker.
- **Location sharing:** A phone call relies on the worker describing where they are. An SOS device sends GPS coordinates automatically with the alert.
- **Hands-free operation:** Phones need hands to unlock and dial. SOS devices can be activated by pressing a button on a pendant or wristband, or by the device sensing a fall.
- **Communication after the alert:** A phone call lets the worker talk to the responder. Some SOS devices also offer two-way voice through the device itself, so the worker does not need to hold a phone.
- **Coverage and reliability:** Phones depend on mobile network coverage. SOS devices often use a combination of cellular and satellite networks, giving them better coverage in remote areas.

Choosing what fits your work environment

No single solution covers every situation. The right choice depends on the risks your workers face, the environments they work in, and how quickly help can reach them. For a team of office-based staff who work normal hours, a phone-based check-in system may be enough. For workers who travel alone to remote construction sites, farms, or industrial zones, an SOS worker device offers protection that a phone cannot match.



Some organisations combine both. Workers carry a phone for routine check-ins and use a wearable SOS device as a backup. If the phone fails or the worker cannot use it, the device still sends the alert. This layered approach gives the widest safety net, especially for workers who move between areas with different coverage levels.

The **Mercari Lone Worker Alarm NZ SOS worker device** fits well in this layered strategy. It works alongside existing phone systems, adding automatic fall detection and GPS location without replacing the phone. The worker can keep their normal phone routine and wear the device as a safety backup. This avoids forcing staff to learn a whole new system while still covering the gaps that phone-only plans leave open.

Practical considerations for implementation

Rolling out a new alert system takes some thought. Workers need to know how to use the device, when to press the SOS button, and what happens after an alert. They also need to understand that the device is there to protect them, not to track their every move. Clear communication about privacy and purpose helps build trust.

For phone-based systems, the main tasks are ensuring everyone has a reliable phone, a charged battery, and a list of emergency contacts. Regular drills can help workers remember the process under stress. For SOS devices, the focus is on correct wearing, testing the device regularly, and knowing what automatic alerts the device can detect. Devices should be tested at least once a week to confirm they can send an alert and that the GPS location is accurate.

Battery life matters. Phone batteries drain quickly with heavy use, and a worker who forgets to charge may be left unprotected. SOS devices typically have long battery life, often lasting several days or weeks on a single charge, and some have low-battery alerts that remind the worker to recharge. Choosing a device with a long battery life reduces the risk of the worker being without protection.



MERCARI TECHNOLOGIES

Coverage checks are also essential. Before relying on any alert method, verify that the device works in the actual locations where your workers operate. Test the phone signal and the SOS device signal in every area the worker visits, including basements, stairwells, and remote corners of a site. If the device cannot connect, it cannot help.

Final comparison at a glance

1. **Phone calls** suit low-risk, well-covered environments where the worker can act after an incident. They are simple, cheap, and familiar, but fail when the worker is unconscious, the phone is damaged, or coverage is poor.
2. **Automated SOS alerts** suit high-risk or remote work where the worker may be incapacitated. They provide automatic detection, GPS location, and hands-free operation, but require an initial investment in the device and training.

Choosing between these two is not about which is better in theory. It is about what matches your workers' daily reality. If your team works alone, at height, near water, or in areas with unreliable phone coverage, an SOS worker device is the safer bet. If your workers are always within earshot of others and have solid phone service, a phone-based system may be enough. Many operations benefit from using both, letting each method cover the other's weak spots.

Mercari Lone Worker Alarm NZ on social media YouTube