

For most Los Angeles homeowners, the cost to replace two garage door springs is typically about **\$350 to \$800**, including parts and standard labor. A typical two-spring replacement on a standard residential overhead garage door may fall near the lower end, while a heavy door, high-cycle springs, corrosion, difficult access, or emergency scheduling can push up the total.

The exact garage door repair cost depends on the spring system, door weight, spring cycle rating, labor charges, and whether the technician finds worn cables, rollers, brackets, or other unsafe components. A dependable quote should break down the garage door spring cost separately from the service call and labor rather than presenting one undetailed total.

Average Cost to Replace Two Garage Door Springs in Los Angeles

In Los Angeles, homeowners commonly receive a two-spring replacement estimate in these estimated ranges:

- **\$350 to \$500:** Regular replacement springs, standard daytime service, and an readily accessible residential door.
- **\$500 to \$800:** Higher-quality or high-cycle torsion springs, weightier doors, additional adjustment, or more extensive labor.
- **\$800 to \$1,200 or more:** After-hours or after-hours service, extensive corrosion, unusual spring sizes, challenging repairs, or multiple damaged components.

These figures are useful planning ranges rather than a fixed price. The garage door spring cost can differ between the San Fernando Valley, West Los Angeles, South Los Angeles, and the San Gabriel Valley because travel time, local demand, building styles, and service availability vary.

Most modern residential doors use **torsion-type springs**, which sit above the door and help lift it by twisting around a stationary shaft. Older or lighter doors may use **extension-type springs**, which run along the horizontal tracks. The spring design, size, wire thickness, and spring cycle life all influence the replacement price.

Replacing two springs together is often suggested when a door uses a matched pair. Both springs generally have the same age and comparable wear. Replacing only the broken spring may leave the older spring more likely to fail soon, requiring another service call and another adjustment.

What Is Covered in a Two-Spring Replacement Quote?

A straightforward quote for spring replacement should identify each major part of the job. The total garage door repair pricing may contain the following:

- **Dispatch fee:** The charge for dispatching a garage door technician to your property and performing an preliminary assessment.
- **Assessment and diagnosis:** Evaluation of the spring system, door balance, garage door track, garage door cable, garage door rollers, bearings, brackets, and opener operation.
- **Replacement of the springs:** Removal of the old springs and installation of two appropriately sized replacement springs.
- **Labor cost:** The time required to secure the door, release spring tension, install the new components, balance the door, and test the system.

- **Final adjustment and testing:** Calibrating the springs and checking that the door opens and closes smoothly.
- **Warranty coverage:** Details about the parts warranty and any separate warranty on workmanship.

Some companies build the service call into the quoted replacement price, while others show it separately. Ask whether the fee is waived if you accept the repair. You should also ask whether disposal of the old springs, taxes, and any required safety inspection are included.

Component, Labor, and Emergency Service Costs

The price of replacement springs is influenced by the spring's dimensions, steel quality, cycle rating, and whether the technician keeps the correct size in stock. Standard replacement springs may cost less than high-cycle or corrosion-resistant models, but the cheapest part is not always the best long-term value.

Labor charges cover more than simply taking out a broken spring. A garage door technician must safely control stored spring tension, secure the door, install the replacement parts, set the correct tension, and confirm that the door remains balanced. This work can be dangerous without proper tools and training.

Same-day garage door repair during normal business hours may involve a reasonable premium, particularly when a company reshuffles its schedule to provide a fast response. Emergency repair at night, on a weekend, or during a holiday often costs more because of out-of-hours fees. If the door is closed safely and there is no pressing security or access problem, scheduling regular service may lower the total.

Additional charges may apply if the garage door cable has frayed, a drum is worn, the bearing plates are showing wear, or corrosion has locked up hardware. A reliable provider should get approval before performing work in addition to the original spring replacement.

Torsion Springs Compared with Extension Springs: Which Costs More?

A **torsion-style spring** is positioned above the garage door and uses torque to offset the weight of the door. Torsion systems are widely used on newer residential doors because they provide steady lifting and generally offer good balance. A two-spring **Garage Door Spring** torsion replacement often costs about \$350 to \$800 in Los Angeles, depending on the door and spring specifications.

An **extension spring** runs along the horizontal track and expands as the door moves. Extension systems can be lower in cost in some basic installations, but their total cost depends on the spring pair, pulleys, safety cables, and condition of the tracks. If the existing system lacks necessary safety cables, adding them may be a valuable part of the repair.

Spring cycle rating is another important distinction in value. A standard spring may be rated for approximately 10,000 cycles, while a high-cycle spring may be designed for 20,000, 25,000, or more cycles. One cycle means one complete opening and closing. A household that uses the door frequently throughout the day may benefit from a longer-lasting option.

The right spring must create a **properly balanced door**. An improperly sized spring can make the door too heavy, cause it to rise too quickly, strain the garage door opener, or prevent it from staying open. A technician should carefully evaluate or accurately evaluate the door rather than guessing based only on its appearance.

Factors That Influence Garage Door Spring Replacement Cost

Garage door weight is one of the most important considerations. A lighter insulated or uninsulated door requires specific springs from a heavier wood, carriage-house, or highly insulated steel door. The higher the door weight, the more careful the spring selection and adjustment must be.

Door size also impacts pricing. Los Angeles homes commonly have single-car and two-car overhead garage doors. A standard two-car garage door is wider and may require more robust springs than a single-car door. Door width, weight, and wind-load requirements can all affect the material and labor estimate.

High-cycle springs cost more initially but may provide increased durability for busy households. Ask the contractor to provide the cycle rating in writing so you can make accurate estimate comparisons. A quote that includes premium springs should specify the expected rating rather than using only terms such as “heavy duty.”

Corrosion is another regional concern. Coastal areas such as Santa Monica, Venice, and Long Beach may experience more hardware corrosion because of marine air. Rust can affect springs, cables, fasteners, drums, rollers, and brackets, making removal more difficult and increasing the chance that related replacement parts will be recommended. Corrosion-resistant hardware may cost more but can be a good choice for these environments.

Other factors include the height of the garage ceiling, restricted access to the spring shaft, damage caused when the spring failed, previous incorrect repairs, and the need to reset or replace a garage door opener. A thorough garage door safety inspection helps identify these issues before the final price is accepted.

Warning Signs That It Is Time to Replace Both Garage Door Springs

A **failed garage door spring** may be readily apparent: you may notice a gap in the coil, hear a loud bang, or find that the door suddenly becomes extremely heavy. Other warning signs may be:

- The door will not open manually or the garage door opener backs up under load.
- The door opens only a few inches and stops.
- The door closes unevenly and improperly or appears crooked.
- One side lifts higher than the other.
- The door falls quickly when disconnected from the opener.
- You hear strange popping, grinding, or squealing from the spring area.
- The garage door opener struggles or makes excessively loud sounds.

A noisy garage door does not always mean the springs are failed. Worn rollers, loose hinges, dry bearings, or a misaligned garage door track can cause similar sounds. Likewise, an uneven garage door may involve a damaged garage door cable or a fault with the drums.

Do not attempt to remove or unwind a torsion spring yourself. The stored tension can cause serious injury. Disconnecting the opener and manually lifting a heavy door can also harm the door or opener. A qualified technician should examine the complete system and [affordable garage repair Los Angeles](#) determine whether both springs need replacement.

Garage Door Repair Near Me in Los Angeles: What to Check

Looking up “garage door repair near me” can generate many options, but proximity alone does not prove quality. Look for a **licensed garage door contractor** with a legitimate business identity, readily available contact information, and proven expertise with residential spring systems.

Before agreeing to work, ask for:

- A detailed written estimate listing the two springs, cycle rating, labor, service call, and applicable taxes or fees.
- Proof of insurance, including general liability coverage and workers' compensation where applicable.
- The company's license information and the technician's name.
- Warranty terms for both replacement parts and labor.
- A description of any proposed cable, roller, bearing, track, or opener work.

For Los Angeles garage door repair, service areas may extend across the San Fernando Valley, West Los Angeles, South Los Angeles, and the San Gabriel Valley. Ask whether the advertised price applies to your specific neighborhood and whether travel or same-day charges are charged separately.

If the work involves structural modifications or a complete garage door replacement, verify permit requirements with the Los Angeles Department of Building and Safety. A routine spring replacement is distinct from modifying framing, changing the opening, or replacing a door in a way that affects structural or wind-load requirements.

Related Garage Door Costs Residents Often Compare

Spring replacement is usually lower in cost than replacing the entire door, but the best repair versus replacement decision depends on the overall state and age of the system.

EM Garage Doors And Gate Service Inc

19629 Cantara St, Reseda, CA 91335

(818) 919-0785

<https://emgaragedoorsandgateservice.com/>

<https://maps.app.goo.gl/XujLWxA4pAQKARQT8>

34.2193569, -118.5613022

Garage door replacement cost may range from roughly \$1,000 to \$4,000 or more for a residential door and installation, depending on material, insulation, design, hardware, and local requirements. Premium wood or custom doors can cost substantially more. The **two car garage door replacement cost**, also described as the **2 car garage door replacement cost**, is often higher than a single-car door because of its larger size and weight.

Replacing a damaged **garage door panel** may be practical when the rest of the door is in good condition and a matching panel is available. A single panel repair may cost less than a complete door, but color fading, discontinued designs, or hidden structural damage can make replacement less practical.

The **garage door opener installation cost** is commonly not included with spring work. If the opener is old, undersized, damaged by a heavy unbalanced door, or missing modern safety features, a new opener may provide more reliable operation. However, installing an opener does not resolve a broken spring or unsafe door balance.

How to Get an Accurate Garage Door Repair Quote

Start with an in-person inspection rather than relying on a price quoted without seeing the door. During the inspection, the technician should identify the spring type, measure or evaluate door weight, examine the cables and drums, check the garage door track, inspect rollers and hinges, and test the opener's safety reversal functions.

Request a written estimate with separate line items for parts and labor. It should state whether the price includes two replacement springs, a service call, disposal, adjustment, a garage door safety inspection, and warranty coverage. If high-cycle spring or corrosion-resistant hardware is recommended, the estimate should clarify why.

Compare estimates by specifications, not just totals. One company may quote low-cost standard springs, while another may include high-cycle springs, new safety cables, and a longer warranty. Ask each provider to quote the same spring cycle rating and to identify every included component.

Inquire how the warranty applies. Parts coverage may be more extensive than labor coverage, and some warranties do not cover rust, misuse, unauthorized modifications, or normal wear. Confirm whether a future adjustment or callback involves another service call fee.

Regular garage door maintenance can increase component life. Applying lubricant to appropriate moving parts, checking fasteners, keeping the track clear, and scheduling periodic inspection can detect wear before a failure. Do not oil or adjust spring tension unless the manufacturer and a qualified professional specifically advise you to do so.

The lowest garage door repair pricing is not necessarily the safest choice. Pick a provider that describes the repair, uses properly sized replacement parts, provides a written estimate, and inspects the door after installation. That approach gives you a more realistic comparison of value and reduces the likelihood of repeat service.

Questions and Answers

How much does it cost to replace two garage door springs near me in Los Angeles?

The average cost is about \$350 to \$800 for two springs and regular labor in Los Angeles. Large doors, high-cycle springs, corrosion, difficult access, emergency repair, and additional damaged components can increase the total to \$1,200 or more. Obtain a written breakdown of the garage door spring cost, service call, labor, and add-ons.

Should both garage door springs be renewed at the same time?

Typically, yes, when the door uses a matched pair. Both springs normally experience the same number of cycles and similar wear. Replacing both at once supports a balanced door and may reduce the chance of a second service visit shortly after the first spring fails. A technician should confirm the recommendation during an inspection.

How much does garage door repair cost when a spring fails?

A spring-related garage door repair cost is commonly \$350 to \$800 for two standard springs in Los Angeles. The price may rise if the garage door cable, drums, rollers, bearings, track, or opener are also damaged. Late-night service and emergency repair generally carry additional labor charges or service fees.



How can I find dependable garage door spring replacement near me?

Search for an established garage door repair near me provider and verify licensing, insurance, local service information, and customer reviews. Ask for a written estimate, spring cycle rating, warranty details, and the technician's recommendations for related safety components. A reliable licensed garage door contractor should explain the work before starting and obtain approval for additional repairs.

Is it less expensive to repair an overhead garage door or replace it?

Repairing an overhead garage door is usually less costly when the problem is limited to springs, cables, rollers, an opener, or one garage door panel. Full replacement may be more practical when the door has extensive rust, repeated failures, severe structural damage, poor insulation, or obsolete hardware. Compare the repair cost with the garage door replacement cost and consider the door's age, safety, appearance, and expected future maintenance.